

GENERAL AND REVENUE SECRETARIAT.

1906-07
~~191~~.
(Muzrai)

File No. 375

Serial Nos.

Papers Filed.

Month_____

SUBJECT.

*Repairs to the Vahana Mantap
of the Nanjangud Temple*

PREVIOUS REFERENCES.

LATER REFERENCES

Mez. S]

190 .

1906-07

MIZRAJ SECRETARIAT.

OFFICE NOTE.

File No.

SUBJECT.

Re repairs to the Vahana mantap of
the Nanjangud temple.

From

The Chief Engineer of Mysore

No. 8598

Dated 22nd December 1906

His Highness the Maharaja
was pleased to sanction from the
Palace Funds, the repairs of the
Vahanas of the Sri Sricantheswara
swami temple at Nanjangud, at
an estimated cost of Rs 2080/-.

The repairs are progressing under
the supervision of the Palace Officer.

The Mantap in front of the
Palace at Nanjangud in which the
Vahanas are kept, is in a deteriorated
condition. The Chief Engineer, was

File No.

of

Muzrai Secretariat.

requested to submit an estimate for repairing the mantap. During my inspection, I gave instructions to Mr. Sreenivasengar, Assistant Engineer, Nanjangud Division and he has submitted an Estimate amounting to Rs 1982 towards the cost of the improvements needed to the Vakana Mantap.

The estimate has to be sanctioned and the repairs executed early. The Sri Sukanthaswaraswami temple at Nanjangud has not sufficient funds at its credit to meet the cost of the present Estimate. I would therefore request that the cost in the present case may be ordered to be met from the funds of the Sri Chamarajewaraswami temple at Chamarajanagar - The work is an urgent one.

286

Subd to the 2^d (2nd)

Chamarajewaraswami
10/1/27

Muzrai Secretariat.

File No.

of 190

I am sorry I do not see my way to accept the proposal that the Vakana mantap at Nanjangud should be repaired at the cost of Chamarajnagar Temple. The two institutions are different. The Nanjangud temple has no funds and cannot pay for the repairs of the mantap, but it has no manner of claim on the Chamarajnagar temple funds. In my opinion it will be nothing short of a misuse of trust money.

W. R. N. A. C. M. A. S. S.
D. J. Connelley

W. R. N. A. C. M. A. S. S.

And

10/1/07

Muzrai Secretariat.

File No.

of 190

Note Continued:—

As called for, the Palace Officer submits for sanction an estimate for Rs 2312/- for the repairs required to be executed to the Vahana Mantap of the Sri Girkanteswara Swami temple at Nanjangud and requests that the whole amount may be placed at his disposal to enable him to meet the demands of the Contractors that may be got engaged for the work in the course of its execution.

Attention is respectfully invited to the Secretary's remarks on page 2 and to the Committee's orders on page 3 of this note.

Subd for orders Sanction the estimate
 dt 17.12.07 from the Secretary of the Swami temple and reg.


File No.

of 190

Muzrai Secretariat.

of Rs. 2312/- to place the amount
at the disposal of the Palace Officer at once.

The work is of very urgent necessity
& it is convenient to get it done
by the Palace Agency.



1908

a. i. 25th Feb 1908

Note Continued. —

Government in their Pro: no 2405-72)
24th January 1908 sanctioned an estimate
for Rs 2312/- for repairing the Vahana Images
of the Nanjangud temple, the work being
executed by the Palace Agency.

Certain residents of Nanjangud
have presented a Memorial to H. H. the
Maharaja - stating that the present site
where the Vahanams are kept is in a
narrow lane and that it is very difficult
to drag the Vahanams from there and

Muzrai Secretariat,

File No.

of 190

~~proposing~~ that a new building may be ordered to be constructed instead of renewing the old one.

$\frac{2175}{1051}$ 12th March 1908

This memorial has been forwarded to this Office for disposal.

The Vakana mantap is not in a worse as alleged. It is in front of the Palace. The Estimate now sanctioned is for repairing the present building. The construction of a new building may cost much more than what has now been sanctioned. The temple too cannot afford to meet additional cost. May the Pet^r be informed that it is not possible to construct a separate building for keeping the temple Vakamas as provided for by them?

Subd
44.19/2/08

Muzrai Secy's remarks:-

I have also personally seen the locality more than once and the mantaps

File No.

of 190

Muzrai Secretariat.

near the temple and found that the present
mantap is best suited for the purpose.
After much deliberation the thorough
repair of the present Vahana mantap
has been decided upon. The memorialists
may be informed accordingly.

373
20/3/08
Submitted to the 2nd 20/3/08

H/ Mantapam
20/3/08

Approved by
21/3/08

Draft as per
21/3/08

Muzrai Secretariat

File No.

of 190

Note Continued: —

An estimate for Rs 2312/- for the repairs to the Vihana mantap at Nanjangud was sanctioned.

3505-73211 1908

The Palace Officer now reports that the roots of the Aswatha Plants have gone deeper down the perpendicular lengths of the Eastern and Western walls of the Mantap, that it has become absolutely necessary to dismantle the walls in the interests of the Mantap and rebuild the same de novo with fresh foundations as they have to support a wide terraced roofing and that it was originally expected that the whole of the wood-work of the old roofing would be re-used for the new Terraced roof. It is further reported that one is moving the old roofing, some

File No. -

of 190

Muzrai Secretariat

is totally unaccountable including
 to get the Shri K. S. H. Suba it
 for sanction ^{8. pple. as tol.} ~~an~~ ^{the} ~~the~~ ^{for}
 is 1910 in the additional work required
 to the Muzrai State, that the
 work is being worked on to save
 time in anticipation of the future

538
 10.6.08
 Subd with a Draft Sanction the Supplemental
 Estimate to the 2nd Councilor -

6/9/08

Chunatalam
 9.6.08

265
 12.6.08


Approved by

12/6/08

Return the draft 12/6/08

1906-0

The Palace Office,
Mysore. 12th August 1906.



From,

B. Ramakrishna Rao, Esq.,
Officer in charge of the
Palace Establishments.

To,

L. Anantasami Rao, Esq., B.A.,
Secretary to the Govt. of Mysore,
Muzroi Department,
B a n g a l o r e .

Sir,

I have the honor to state that His Highness the Maharaj has been pleased to sanction the repairs of the Vahanams of Sri Sri. ^{khant} ~~khant~~ ^{esvara} ~~esvara~~ Svami temple at Nanjangud at an estimated cost of ₹ - ^{from the Palace Fund M.A.} 2080-0-0. It is reported that the shed where these Vahanams are sheltered is in a very dilapidated condition and requires early renewing. I accordingly request that you will be so good as to arrange for its repair at an early date.

I have the honor to be,

Sir,

Your most obedient servant,

12/8/06
14/11/06
Officer in charge of the
Palace Estts.

B.M.H.

ep. huc

Urgent
Muz. L.A.]

MUZRAI SECRETARIAT.

190 —190

From

L. ANANTASAMI RAO, Esq., B.A.,
Secretary to the Government of
H. H. the Maharaja of Mysore,
Muzrai Department.

To

The Dy: Commissioners.

Mysore District

Dated

4/9/06

Despatched

Received

General No. *1570*

Muzrai F. No.

Enclosure No.

*The Officer in Charge
of the Palace Establishments,
Mysore, states that His Highness
the Maharaja was pleased to
sanction the repairs of the
Vahanams of Sri Srukanthaswara
Swami temple at Nanjangud
at an estimated cost of
Rs. 2080/- from the P. & C. Fund.
It is reported that the Shree
where these Vahanams*

W. J. J. J.
Muz. [A]

MUZRAI SECRETARIAT.

190 —190

From

L. ANANTASAMI RAO, Esq., B.A.,
Secretary to the Government of
H. H. the Maharaja of Mysore,
Muzrai Department

To

*The Dy. Commissioner
Mysore District*

Dated

4/9/06

Despatched

Received

General No. *1570*
Muzrai F. No.

Enclosure No

*The Officer in Charge
of the Palace Establishment,
Mysore, states that His Highness
the Maharaja was pleased to
Sanction the repairs of the
Vahanams of Sri Srukanthaswara
Swami temple at Nanjangud
at an estimated cost of
Rs. 2080/- from the Palace fund.
It is reported that the Shree
where these Vahanams*

sheltered is in a very

dilapidated condition.

It is the honor to request that the
the Dy: Commissioner will be so good as to

therefore requested to submit
an estimate for repairing
the Vakranas shed at once.

have an estimate
prepared in con-
-sultation with

the Ex: Engr of the
Mysore Dist and
submit the same

B.O.

dfk

Secretary.

to this office
at a very early date.
~~at a very early date.~~

When the under-
-signed visited
Kannur in June
last, the situation in
relation was inspected
in the presence of the

The Asst-Commr, ^{the} K. K. Nagar

A. K. Muzumdar Esq.,
and the A. P. W. Asst-

Engg. ^{BC.} - Sreenivas
Esq.

and the last-named ^D
 Officer suggested certain
 improvements in the
 matter of putting up
 a new gate to the
 main tank - while pre-
 -paring the estimate
 this ~~estimate~~ ^{may} also be
 taken into consideration

By order

3/9/06

Manager

27/8/06

15/11/06
 49 Copy to be sent

to the Chief Engineer
 in Mysore, with a request
 that necessary in-

struction may be
 kindly issued to the Chief Engineer
 on the subject - Mysore
 3/9/06

Myse Public Works Department.

Central Office
MYSORE GOVERNMENT
Dated Bangalore 22nd December 06,
3093.

No. 8598

From, Engrs

W. M. Hutchins Esquire B. E. & C.,
Chief Engineer of Mysore.

To,

L. Anantawami Rao Esquire B. A.,
Secretary to Government of H. H. the Maharaja
of Mysore, Mysore Department

Sir,

In compliance with your no 1511 of
the 4th September last, I have the honor to
forward for disposal the accompanying
estimate amounting to Rs 1982/- for the necessary
improvements to the Vahanamantapam of Sri
Sankantadwara Swami Temple at Tanjore
received from the Executive Engineer, Mysore
Division, and to inform you that the expensive
items in the estimate are the stone paving
to the floor and the 3 tunnels or culverts,
which though not absolutely necessary,
are desirable.

G. M. S. S. S. S.

Caplain R. C.
Deputy Chief Engineer
of Mysore.

81/07

4/12/06

Subd with
note
- done

21
9/11/07

Myore Division
est. of the Probable Cost of Improving the
as Swarnanagar's Vahana Mantapam
at Nanjangud.

Details of work	Dimensions		Contents	Total
<u>arth work</u>				
Excavating foundation for pillars in creek in Chinnam	3x2	3/3	3/3 4/3 8 28 8	
Filling foundation for pillars with Brick in Chinnam	3x2	3	3 1 54	54
Filling foundation for pillars Superstructure do	3x2	3 16	3 3 162 384	
Fixing the bond slabs &c			30	
			576	576
Burnt Stone Slabs above Concrete	3x2	3	3 2 54 8 54	
Dismantling the brick masonry to insert the bond slabs - Cross wall	4x2	2	2 2 32	
do do - wall	4x2	2	2 2 32	
Total			64	64
Burnt Stone Slabs				
Bond slabs for the Cross walls	4x2	2	4 2 16	
do do - wall	4x2	2	2 2 32	
Total			160	160
Chinnam plastering				
Removing old plaster and bedding around inside of the wall	1	105	17	235
Outside East and West.	2	34	19	1292
do Roof	1	61	30	1830
All round the pillars	3x2	16	6 6 64	
Total			5371	5371
Ornate work wherever gone			50	50
				T.O.

illars 24 16 ~
 - front beam 1 41 - 1 1/2 6

Good oiling 30

Roofs x 6 1 1/2 " 1125

Beams 4 40 3 3/4 " 600

- Total - 725

Door to match the present one with
 new iron bars hinges, bolts &c 16 - 3 1/4 218

Present door planks may be used

Thin iron sheets for the doors to
 the bottom portion to protect - dust 12 1 4 3 1/6 (1 1/8) 389
 including fittings etc Complete

Perforated Zinc Sheets to
 top portion of door 1 12 6 1/2 3 1/4 253 53

Cutting doors in to two pie
 to fit the iron sheet, - bolt, nuts
 and repairing the door whenever necessary 1 No 20

Discontinuing the wall at left. 1 5 3 1 1/2 23 " 23

Monney door

Battered door 1 4 1/2 3 " 14 14

Burnt Stone slab

in chimney 1 6 1 1/2 1/2 9

Brick work to fill up the door 10

Building parapet wall fallen at top 1 12 3/4 3 27
 here and there if necessary 20

2

7 ft 5

Top of Main staircase

Discontinuing and removing the old
 flat tiles terrace } 1 42 31 " 1302 13.

Two Course

with Churrum plastering 1 42 31 " 302 5 ft 13.
 and etc. Complete.

Sundry repairs here and there 1 No

Removing the earth from
floor of Mantapam

1 $\frac{40}{3}$ 30 '6 22 22 22

Concrete in Chunnam

floor with 1 in 30 Slope

1 40 '2 600 600

Burnt Stone paving

1 40 30 1/2 1200 1200

Chunnam pointing for paving

1 40 30 " 2 12.00

Turnouts

Earth work

Leaving foundation for abutment
1 and 2 turnouts

2x2 13 1 2/3 35

do 3rd do

2 6 1 3 8

deepening the Side drain

1 16 1 1 16

J

59 40 5

Ron & stone work in Chunnam

1st

39 2 2 6

do 3rd do

2 1 2 2 14

Backfilling & Covering slabs 1 and 2

2x 39 '2 4 5

do do

2 1 '2 4 13

83 83

Burnt Stone slabs 9" thick

Coving slabs for 1 and 2

2 39 6 3/4

do 3rd do

1 8 6 3/4

J

7 5 7/8

Removing and refilling V-shaped

1 5

Report to accompany the
estimate for repairing the
Vahan Mantapam of Sri-
Srikanteswara Swami temple
at Nanjangud

Est 5722
3

Reference:—

Superintending Engineer's no:
 $\frac{4441}{14-9-06}$

—: Report:—

The Mantapam is 30' by
40' with a height of 18 feet,
enclosed on three sides
by a wall of brick in
clay covered over with
a terraced roof. The
gates in front consist
of a frame work of wood
with iron bars with the
spaces between the bars
left open.

The building is in a
very much deteriorated
condition.

quite watery and both the side walls are full of cracks. The plaster is all gone and the clay in parts of the wall having been washed away by rain from the roof the bricks are loose.

The beams supporting the roof rest not on these walls but on the cornice projection in the walls. The cornice has crumbled away and the beams are in danger of coming down some day or other, if the state of affairs is not immediately remedied.

The floor is lower than the drain level in front. This might have been remedied by the drain being lowered but has not been done.

Consequently instead of the Mantapam drainage

drainage getting out, the outside drainage is likely to get in.

The doors having open space between the iron bars - a lot of street dust gets in and spoils the fine silt surface of the ^{vehicles} Vahanams.

The condition of the building having been thus briefly described the repairs proposed are - to support the beams by brick pillars close to the wall of dimensions 2' by 2'. The cracks in the walls will be repaired by the insertion of lead slabs. The walls will be thoroughly re-plastered - two courses of flat tiles will be removed from the top and new ones substituted and plastered.

As for the floor, I

I propose raising it with
a gentle slope towards the
road, putting on a layer
of concrete 6" thick - and
to have a pavement of stone
slabs on top. The stone slabs
will be 6" thick and though
this will be a little costly
to begin with, it will be
found to be economical
in the end. Since it will
last permanently and
protect the wooden wheels
of cars better than a
mere earthen floor the
drain in front will be
deepened.

Before these cars can
be taken to the car street,
three side drains have
to be crossed. The cars
cannot conveniently
be taken over these
and it would appear
that,

that, at present, they
experience much difficulty
in doing so and that
sometimes the wheels are
damaged. It is therefore
necessary to construct
three tunnels covered
over with 9" thick slabs
the stone having inside
and these tunnels together
cost a 1000/- but I think
they are necessary items
of work.

The doors are very high
and the
when he was here was
of the opinion that
height might be conveniently
divided into two parts.
This arrangement will
therefore be done. The
bottom portion will be
covered by thin iron
sheets to prevent road
dust from going in, and

and the top perforated
zinc sheet.

There is a small
blind lane by the side of
the Mantapane which
has now been closed
up by a wall. There is
a lot of jungle growth
inside which has been
partly damaging this
building. There is at
present no convenience
to remove the rubbish
from this space. The
wall will be removed
and a door will
be substituted in its
place.

These are the main
items of the proposals
for which an estimate
has been submitted.

(Sd) B. C. Srinivasan,
Assistant Engineer
Nanjangud Range

"Copy"

mantapane

29-11-06

Urgent

To

The Dy Commr
Mysore District

2-4/10/1
...

Nº 4959 of
25/4/07

Sir,

The question of
replacing the ~~Vahana~~
Mantapa at Nanjunda
is under the considera-
-tion of Government and
orders will soon issue
on the subject. In the
meanwhile it seems
necessary to remove
the ~~Vahana~~ to the
'Kavach' Mantapa
which is opposite to the
the Sreeantapur
- swami temple. ^{as the prop} ~~of~~

I inspected the mountain
on the 17th instant
in company with the
Amildar ^{and the Asst Commr} and found
it suitable for the purpose
~~temporary location of~~

~~Vahanas~~ I am
accordingly to request
issue orders to the Amildar to
you to kindly have all
the vahanas removed
there at once as a temporary
measures.

I have to

Doc-

24/4/07
Sd/-

24/4/07
Sd/-
Copy forwarded

to the Palace Officer, Mysore
for information

Copy forwarded to the
Amildar, Nanjangud Taluk
for immediate action
By order
24/4/07
Sd/-

24/4/07
Sd/-

10-9

11/27/4 165 72

1/2 50 56 0/1
27/4/0

To,

The Officer in charge of
the Palace Entrs, Mysore.

Sir,

Referring to the
repairs urgently needed
to the Vahana Mantap of
the Sri Srican Keswara
temple at Nanjangud
regarding which we had
a talk the other day,
I beg to state that I
visited Nanjangud
on the 17th instant and
inspected the Mantap
in company with

two Palace clerks
whom you sent with
me. The Vakama mantap

is really in an utterly
dilapidated condition

and I quite agreed with

~~four clerks~~ in ^{your} their suggestions, as conveyed to me
by your (letter),

regarding
~~towards~~ the improvements

required there to. 9

was informed that extensive

works in connection with

the Palace at Nanjangud

had been ordered & that

the work would be taken

hand immediately.

As the Vahana mantap
is just opposite the
Palace, it would be
very convenient if
its repairs ~~are~~^{were} undertaken
along with the Palace works.

I have no doubt

Your Department will
carry out the needed
repairs both economically
and efficiently. I am

Directed therefore to

the favour of the

furnishing the

with an ~~estimate~~ estimate
of the probable cost
of the needful repairs
required to the Vahana
mantap, for the sanction
of Govt., at a very early date.

2. As the Vahana Mantap
was in a very dangerous
condition, I directed the temporary
removal of the 3 Vahanas
under the gracious order of H.H. the Maharaja, ^{recently repaired,} to the
Awarathi Mantap in
front of the Sri Sivanterwara
Kumar Temple.

I have the

Yours
A

165-92


No. 383

Nanjund Saluk
Office

27.

3/5/07

To



1st May 1907.

Sub for
information

The Secretary to The
Government of H H The
Maharaja of Mysore.

Muzrai Department.

25
6/5/07

Sir,

Ftd
6/5/07

In obedience to your order
No 4961 dated 25th April 1907,
I beg to report that all the Vakhanams
have as directed been removed
from the present Vakana Mantap
to the Navaratri Mantap.

I beg to remain,

Sir,

Your most obedient servant

S. Thammanna
Acting amildar

The Palanodhar
Mysore
29/4/07

.0. 472.

My dear Sir
I am in due
receipt of 26th March
communication no.
4960 and 5056 of the 25th
and 27th April respectively
regarding the Vakanas of
Sri Sri Kancherwar Swamy
and the Vakana Mantap
at Nanjangud
Herewith I am
herewith 26th March
best -

92
NO: 7

47

The Palace Office
Mysore, 3rd July 190
8 14

From,

B. Ramakrishna Row, Esq.,

Officer in charge of the Palace

To,

L. Anantasami Rao, Esq., B.A.,

Secretary to the Govt. of Mysore,

Muzroi Department,

B a n g a l o r e.

Sir,

With reference to your Nos: 5056 & 3718 dated 27th April and 31st May 1907, respectively, I have the honor to inform you that the Palace Maramat Department has been directed to undertake the repairs necessary for the Vahana Mantap at Nanjangud.

2. An Estimate on this account has been called for. It will be submitted for sanction as soon as it is received.

I have the honor to be,

Sir,


Your most obedient servant,

Officer in charge of the
Palace Establishments

M.K.V.

and 16/12/07 by
No. 69 of 07-08.

Encl: 1



Mysore. 10th December 1907.

*Subd
16/12/07*

From,

B. Ramakrishna Row, Esq.,

Officer in charge of the

Palace Establishments.

To,

L. Anantasami Rao, Esq., B. A.,

Secretary to the Government of Mysore,

M u z r a i D e p a r t m e n t ,

B A N G A L O R E .

Sir,

In continuation of this Office No.7 dated 3/8th July 1907, I have the honor to forward herewith an estimate for Rs.2312/- for the repairs required to be executed to the Vahana Mantap of Sri - Srikantesvara Svami at Nanjangud and to request that you will be so good as to obtain the sanction of the Government for the same. I beg to request that necessary orders may also be kindly issued to place the whole amount of the estimate at my disposal to enable me to meet the demands of the Contractors that may be got engaged for the work in the course of its execution. As soon as the work is finished, a completion bill for the same will be submitted in due course.

I have the honor to be,

Sir,

Your most obedient servant,

Br 1000 - 1000

Officer in charge of the

Palace Establishments

ah
R.V.S.

*original
ms*

Muzrai

Read: -

Correspondence ending
with Letter no 692/10th Decr
1907 from the Officer in Charge
of the Palace Establishments
Mysore, Submitting for sanction
an Estimate for Rs 2312/- for
repairing the Vahana Mantap
of the Sri Sri Kanteswara Swami
Temple at Nanjangud

Order thereon no _____

His Highness the Maharaja
was pleased to sanction from
the Palace funds, the repairs of
the Vahanas of the Sri Sri Kantes-
wara Swami Temple at Nanjangud
at an estimated cost of Rs 2080/-

No. 3405-75/974-1075
E.

under the Supervision of the
Palace Officer. As the Mantap
in front of the Palace at
Nanjangund where the Vahanams
were kept was in a dilapidated
condition, the Palace Officer
was requested to submit
for the repairs of the Mantap.
an Estimate, ~~therefor~~. He
accordingly submits for
Sanction an Estimate for
Rs 2312/- for the repairs
required to be executed
to the Vahana mantap
and requests that the whole
amount may be placed at
his disposal to enable him
to meet the demands of the
Contractors that may be
engaged

engaged for the work in the

Course of its execution..

3 Under the above Co^{es}
the Govt are pleased to sanction
the Estimate for Rs 2312/-, the
cost being met from the funds
available at the credit of the
Sri Sri Kanteswara Swami Temple

2 The work is of Very urgent
necessity and it is convenient
to get it done by the Palace.
Agency

4 The Comptroller is
~~herefore~~ requested to place
~~the~~ Sanctioned amount
at the disposal of the Palace
Officer at once.

20,

The Off^r in Ch of the Palace Est^{ts}
Mysore, with the Sanct^d Estimate
Comptroller, Mysore Govt
Deputy Comr, Mysore - St-

21/1/08
Secretary.
4/18/108

3711
13/3/08
No. 21757/1 SECRET
OFFICE OF THE PRIVATE SECRETARY TO
HIS HIGHNESS THE MAHARAJA OF MYSORE,
Mysore, 12th March 1908.

~~XX~~ Put up the refer soon
Area
Please continue note
for order
16/3/08

note Cont 2 & Sub 2

16/3/08

Petition as shown below, to His Highness the Maharaja, is

transferred to the Secretary to the Government of His Highness the Maharaja

of Mysore, Mysore Department, Bangalore, for disposal.

No. 1051 of 07-08.


By Order,

Emmanuel

I. C. S.

Private Secretary

to H. H. The Maharajah of Mysore.



To.

Sree Krishna Rajendra
Wodayar Bahadur
G.C.S.I.
maharaja of Mysore
Mysore.

The humble petition of
the residents of Nanjangood
most respectfully sheweth:-

Per
113/08
The vahana mantapa are
attached to the Sree Kantaswara
-Swamy temple stands in
a narrow lane far removed
from the temple and it is now
in a dilapidated condition

2. On the festive occasions
which are numerous these
valuable vahanas are to
be

ages in the morning
leave to the temple from
a great distance & the
process is to be repeated
to bring them to their place
If the potsarans ~~do not~~
over in time they are left
in front of the temple for
3 or 4 days in the hot sun
or rain as the case may
be, before they are brought
to their place. This process
of chaffing a long distance
to & from the temple besides
causing unnecessary strain
giving rise to many a breakage
is also very inconvenient to
the temple servants.

3. We understand that a new
building is to be constructed
in the place of the old one
at a cost of more than
2000

As our work of
demolishing the old build-
ing has begun.

4. A site near the temple
may easily be found
to locate these valuable
vahanas & the sanctioned
amount is more than
enough to construct a
building there on.

5. The humble petitioners
therefore most respect-
fully pray that a new
building near the temple
may be ordered to be
constructed instead of
renewing the old one.

nanjappa }
6 March 1908 } We beg to sub-
scribe ourselves
your Highness
most-loyal
subject,

Muz. 7]

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

MUZRAI DEPARTMENT.

Dated 28.3.1958

ENDORSEMENT granted to K N Lingah and other residents of Nanjangud

Memorial addressed to H H the Maharaja
in reply to their ^{Petition Registered No. 1051/3711} dated 6th March 1908
praying that a new building may be ordered to be constructed
instead of repairing the old Vahana Mantap in front of the
Palace
~~Place~~, attached to the Sri Guntakteswara Swami Temple
at Nanjangud.

The Memorialists are
Petitioner is informed that the present Vahana Mantap attached
to the Sri Subhakarawara Swami temple which is in part
of the Palace is best suited for the purpose, that
after much deliberation, the thorough repair of the
present Vahana Mantap has been sanctioned and
that it is not possible to construct a separate building
for keeping the temple Vahanams as prayed for by them.

(Handwritten)

C/O 04278

Cope to D. C Mysore and off^r in ch: of the Palace Estab.
Mysore.

R.O.


(Faint handwritten notes and signatures are visible in the background.)

By Order,

Secretary, Mus. & Dep'tment.

No. 40 of 07-08.

3



The Palace Office,

Mysore, 26th May 1908.

29

From

B. Ramakrishna Row, Esq.,
Officer in charge of the
Palace Establishments.

To

L. Anantasami Rao, Esq., B.A.,
Secretary to the Government of Mysore,
Muzrai Department,
B A N G A L O R E.

Sir,

Adverting to Government Proceedings No.3505/7 of 24th -
January 08 sanctioning Estimate amounting to Rs.2312/- for the
repairs of the Vahan Mantap at Nanjangud, I have the honor to
state that in the course of the execution of the work it has come
to notice that Aswatha plants have struck roots deeper down the
perpendicular lengths of the Eastern and Western walls of the
Mantap than what appeared to be the case when the estimate was
prepared, so that instead of removing only $5\frac{1}{2}$ feet from the top
and rebuilding as provided for in the said estimate, it has now
become absolutely necessary to dismantle the walls completely
in the interests of the Mantap and rebuild the same de novo with
fresh foundations as they have to support a wide terraced roof-
ing. Again it was originally expected that the whole of the
wood-work of the old roofing would be useful for the new terraced
Roof: the estimate was framed on this understanding. But on
removing the old Roofing, it is found that 2 beams, 3 Bodiges, and
77 joists are totally unserviceable for our present requirements,
being damaged and so they require to be replaced: the rest will
be made use of in the best way possible. Also, the gate shut-
ters have become so far worn out as to require more work than

was

M.B. 27/5/08

77
Refer encl
Area
Please continue
note for adms
W 20/5/08

note cont 2 & 3.62

16/6/08

2.

was at first anticipated.

2. For the additional expenditure rendered necessary in consequence of the foregoing circumstances, I beg to submit herewith a supplemental estimate for Rs.1210/- for favor of kind sanction in anticipation of which, work is being pushed on to save time.

3. Against this extra charge, the old wood work which cannot now be utilized, may, if sold by auction, be expected to realize Rs.200/- which is about one-half of the new wood work provided for to replace it.

I have the honor to be,

Sir,

Your most obedient servant,

P. A. and also since 26/5/27
27/5/27
Officer in charge of the

Palace Establishments.

67
R.V.S.

Compd

ms

mt

—

Murphy

Read: -

Govt No: no 3405-721744
January 1908 sanctioning
an Estimate for Rs 2314/-
repairs to the Vahana Mantap
of the Sri Sankarawara
Swami Temple at Nanjangud.

Letter no 1402269-Muz,
1908 from the Officer in charge
of the Palace establishment
at Mysore, for sanctioning
sanction a supply rental
estimate for Rs 1210/- for
contain additional repairs
required to the above Mantap.

5602-4
15/6/1908

(The Treasurer, &c
"

The Palace establishment

that in ^{the course of the} execution of the
work, it has come to notice
that the roots of Aswattha
plants have gone deeper
down the perpendicular
lengths of the Eastern and
Western walls of the Mantap,
that it has become absolutely
necessary to dismantle
the walls and rebuild the
same with fresh foundations
as they have to support
a wide terraced roofing,
and that on removing
the old roofing, it is found
that some pillars have
become totally unserviceable
for the present require-
ments. He submits for

for Sanction a Supplemental
Estimate for Rs 1210/- for the
additional work required
to the main part.

2. Under the above Order,
the Supplemental Estimate
for Rs 1210/- is sanctioned,
the cost being, & of from the
fund of the Sri Sankar
war & Swami Temple at
Nandargur.

The work should be
carried out by the Palace
Agency.

3. The Comptroller is requested
to place the Sanctioned
amount at the disposal
of the officer.

All Police establishments,

are

YH

directly
by 9/6/08

11/11
12/6/08

James YH
12/6/08

There is a change of the Police in the region,
to be set of Police in the region.
of Police in the region.
for Police in the region, with a copy of the
of Police in the region.